

KING



DT202009-V1

kingliving.com

Haven


Haven

General Dimensions | Arm/Back Positions


Arms/Backs

Backs: high & upright
Arms: low & upright


Side View
Chair/Sofa



Front View
Chair




Front View
2-Seater Sofa




Arms/Backs

Arms/Backs: low & upright


Side View
Chair/Sofa



Front View
Chair




Front View
2-Seater Sofa




Arms/Backs

Arms/Backs: high & flexed


Side View
Chair/Sofa



Front View
Chair




Front View
2-Seater Sofa




Arms/Backs

Arms/Backs: low & flexed


Side View
Chair/Sofa



Front View
Chair




Front View
2-Seater Sofa




Modular 1-Seater

Top View




Modular 2-Seater

Top View



Chaise

Top View: right-hand to left-hand




Haven Packages

Configurations & Dimensions


Keystone Chaise

Configurations: right-hand to left-hand Chaise




Metro

Configurations: right-hand to left-hand Chaise




Haven Keystone

Configurations: right-hand to left-hand Chaise




Lounge Chair

Configuration:





Modular Sofa – Bench

Configuration:








Modular Sofa – Split Seat

Configurations:



Modular Sofa

Configurations:




Haven Packages

Configurations & Dimensions


Modular Grand – Split Seat

Configurations:




3000-3400mm
(118-134")

3000-3400mm (118-134")



1050-1250mm
(41.25-49.25")


4800-5200mm (189-204.75")




2100-2500mm
(82.75-98.5")

3900-4300mm (153.5-169.25")

1200-1600mm
(47.25-63")



1050-1250mm
(41.25-49.25")




1950-2150
(76.75-84.75")

2850-3050 (112.25-120")

Modular Grand – Bench Seat


Configurations:



3000-3400mm
(118-134")


3000-3400mm
(118-134")

1050-1250mm
(41.25-49.25")




1950-2150
(76.75-84.75")

900mm
(35.5")




1050-1250mm
(41.25-49.25")




2100-2500mm
(82.75-98.5")

1050-1250mm
(41.25-49.25")



2100-2500mm
(82.75-98.5")

3900-4300mm (153.5-169.25")



1050-1250mm
(41.25-49.25")

4800-5200mm (189-204.75")